

## Stride II

<b>Style</b>	245CR STRIDE II	246CR Stride II TILE
<b>Number/Name</b>		
<b>Description</b>	NEEDLEBOND	NEEDLEBOND
<b>Fiber Content</b>	UV-STABILIZED 100% PET POLYESTER 63% ULe Certified Recycled Content	UV-STABILIZED 100% PET POLYESTER 63% ULe Certified Recycled Content
<b>Face Weight</b>	49.5 ozs/yd2	49.3 ozs/yd2
<b>Pattern</b>	4.7 MM HOBNAIL	4.7 MM HOBNAIL
<b>Pile Height</b>	0.157 in	0.157 in
<b>Total Thickness</b>	0.379 in	0.362 in
<b>Face Coat</b>	N/A	N/A
<b>Primary</b>	N/A	N/A
<b>Backing</b>		
<b>Secondary</b>	PERFORMANCE	ECOWORX
<b>Backing</b>	RUBBER	
<b>Total Weight</b>	59.5 ozs/yd2	101.5 ozs/yd2
<b>Width</b>	12 ft	24 x 24 in
<b>Rolled</b>	FACE OUT	N/A
<b>Number of</b>	11	11
<b>Colors</b>		
<b>Dye Method</b>	SOLUTION DYED	SOLUTION DYED
<b>Coefficient of</b>	0.82	0.81
<b>Friction</b>		
<b>Applications</b>	ZONE 1, 2 and 3 ENTRY AREAS	ZONE 2 and 3 ENTRY AREAS
<b>Pattern Repeat</b>	NONE	NONE
<b>Special</b>	ROLL SIZE 75';	12 TILES PER BOX
<b>Features</b>	SHIPPING WT 4.51 LB/LF	=5.33 SY/BOX 30 BOXES/PALLET EST SHIP WT 32-37 Lbs

## Ravine

<b>Style</b>	247CR RAVINE	248CR RAVINE TILE
<b>Number/Name</b>		
<b>Description</b>	NEEDLEBOND	NEEDLEBOND
<b>Fiber Content</b>	UV-STABILIZED 100% PET POLYESTER 63%	UV-STABILIZED 100% PET POLYESTER 63% ULe Certified Recycled Content

	ULe Certified	
	Recycled Content	
<b>Face Weight</b>	51.4 ozs/yd2	50.5 ozs/yd2
<b>Pattern</b>	7.0 MM RIB	7.0 MM RIB
<b>Pile Height</b>	0.197 in	0.197 in
<b>Total</b>	0.458 in	0.451 in
<b>Thickness</b>		
<b>Face Coat</b>	N/A	N/A
<b>Primary</b>	N/A	N/A
<b>Backing</b>		
<b>Secondary</b>	PERFORMANCE	ECOWORX
<b>Backing</b>	RUBBER	
<b>Total Weight</b>	61.4 ozs/yd2	101.5 ozs/yd2
<b>Width</b>	12 ft	24 x 24 in
<b>Rolled</b>	FACE OUT	N/A
<b>Number of</b>	11	11
<b>Colors</b>		
<b>Dye Method</b>	SOLUTION DYED	SOLUTION DYED
<b>Coefficient of</b>	0.69	0.70
<b>Friction</b>		
<b>Applications</b>	ZONE 1, 2 and 3 ENTRY AREAS	ZONE 2 and 3 ENTRY AREAS
<b>Pattern Repeat</b>	NONE	NONE
<b>Special</b>	ROLL SIZE 75';	12 TILES PER BOX
<b>Features</b>	SHIPPING WT 4.51=5.33 SY/BOX 30 LB/LF	BOXES PALLET 3 EST SHIP WT 32-37 Lbs

## Incline

<b>Style</b>	249CR INCLINE TILE
<b>Number/Name</b>	
<b>Description</b>	NEEDLEBOND
<b>Fiber Content</b>	UV-STABILIZED 100% PET POLYESTER 63% ULe Certified Recycled Content
<b>Face Weight</b>	44.5 ozs/yd2
<b>Pattern</b>	4.7 MM DIAGONAL
<b>Pile Height</b>	0.157 in
<b>Total</b>	0.348 in
<b>Thickness</b>	
<b>Face Coat</b>	N/A
<b>Primary</b>	N/A
<b>Backing</b>	

**Secondary** ECOWORX  
**Backing**  
**Total Weight** 95.5 ozs/yd<sup>2</sup>  
**Width** 24 x 24 in  
**Rolled** N/A  
**Number of** 11  
**Colors**  
**Dye Method** SOLUTION DYED  
**Coefficient of** 0.92  
**Friction**  
**Applications** ZONE 1, 2 and 3 ENTRY  
**Pattern** NONE  
**Repeat**  
**Special** 12 TILES PER BOX =5.33 SY/BOX 30  
**Features** BOXES PALLET EST SHIP WT 32-37  
Lbs